ELSEVIER

Journal of the Autonomic Nervous System 69 (1998) 205–206

Journal of the
Autonomic
Nervous
System

Author Index

Adeghate, E., see Draper, C.E. (69) 173
Akselrod, S., see Almog, Y. (69) 39
Almog, Y., Eldor, S., Oz, O. and Akselrod, S.
Beat-to-beat fluctuations in the BP related signals in rats: can it contribute to the understanding of the development of hypertension? (69) 39
Andrews, P.L.R., see Hoyle, C.H.V. (69) 31
Assmann, S.F., see Kinney, H.C. (69) 156

Bhardwaj, V., see Haxhiu, M.A. (69) 64
Birklein, F., see Riedl, B. (69) 83
Brito, M.N., Brito, N.A., Garófalo, M.A.R., Kettelhut, I.C. and Migliorini, R.H.
Sympathetic activity in brown adipose tissue from rats adapted to a high protein, carbohydrate-free diet (69) 1
Brito, N.A., see Brito, M.N. (69) 1
Buerk, D.G., see Rozanov, C. (69) 184
Butcher, J.W., De Felipe, C., Smith, A.J.H., Hunt, S.P. and Paton, J.F.R.
Comparison of cardiorespiratory reflexes in NK_1 receptor knockout, heterozygous and wild-type mice in vivo (69) 89
Bywater, R.A.R., see Spencer, N.J. (69) 115

Catalin, D., see Félix, B. (69) 6
Chakrabarti, G., see Hoyle, C.H.V. (69) 31
Chen, Q.H., Nishida, Y., Zhou, M.S., Murakami, H., Okada, K., Morita, H., Hosomi, H. and Kosaka, H.
Sinoaortic denervation produces sodium retention in Dahl salt-sensitive rats (69) 56
Chugh, D., see Rozanov, C. (69) 184
Creed, K.E., see Oike, M. (69) 141

De Felipe, C., see Butcher, J.W. (69) 89
Dominiak, P., see Schobel, H.P. (69) 49
Draper, C.E., Adeghate, E., Lawrence, P.A., Pallot, D.J., Garner, A. and Singh, J.
Age-related changes in morphology and secretory responses of male rat lacrimal gland (69) 173
Dreshaj, I.A., see Haxhiu, M.A. (69) 64
Drummond, P.D.
Enhancement of thermal hyperalgesia by α-adrenoceptors in capsaicin-treated skin (69) 96
Duelli, R., see Maeda, M. (69) 132

Eldor, S., see Almog, Y. (69) 39
Erokwu, B., see Haxhiu, M.A. (69) 64
Evans, R.G., see Malpas, S.C. (69) 72

Félix, B., Catalin, D., Miolan, J.-P. and Niel, J.-P.
Integrative properties of the major pelvic ganglion in the rat (69) 6
Filiano, J.J., see Kinney, H.C. (69) 156
Frost White, W., see Kinney, H.C. (69) 156

Garner, A., see Draper, C.E. (69) 173
Garófalo, M.A.R., see Brito, M.N. (69) 1
Gibbins, I.L., see Messenger, J.P. (69) 103
Gyimesi-Pelczer, K. and Kocsis, B.
Spinal cord segments mediating tonic sympathetic nerve discharge to the kidney in the anesthetized cat (69) 122

Handwerker, H.O., see Riedl, B. (69) 83
Handwerker, H.O., see Schobel, H.P. (69) 49
Haxhiu, M.A., Erokwu, B., Bhardwaj, V. and Dreshaj, I.A.
The role of the medullary raphe nuclei in regulation of cholinergic outflow to the airways (69) 64
Heusser, K., see Schobel, H.P. (69) 49
Hicks, K.K., Seifen, E., Stimers, J.R. and Kennedy, R.H.
Effects of streptozotocin-induced diabetes on heart rate, blood pressure and cardiac autonomic nervous control (69) 21
Hirano, T., Nagai, K. and Nakagawa, H.
Uptake of [^{3}H]dopamine in isolated chromaffin cells of the mouse: modulation by intra- and extra-adrenal peptides and other secretagogues (69) 198
Holman, M.E., see Spencer, N.J. (69) 115
Hosomi, H., see Chen, Q.H. (69) 56
Hosoya, Y., see Nakayama, H. (69) 148
Hotta, H., see Nakayama, H. (69) 148
Howorka, K., Pumprla, J. and Schabmann, A.
Optimal parameters of short-term heart rate spectrogram for routine evaluation of diabetic cardiovascular autonomic neuropathy (69) 164
Hoyle, C.H.V., Chakrabarti, G., Pendleton, N.P. and Andrews, P.L.R.
Neuromuscular transmission and innervation in the urinary bladder of the insectivore *Suncus murinus* (69) 31
Hunt, S.P., see Butcher, J.W. (69) 89

Inui, K., see Tanaka, K. (69) 190
Ito, Y., see Oike, M. (69) 141

Kennedy, R.H., see Hicks, K.K. (69) 21
Kettelhut, I.C., see Brito, M.N. (69) 1
Kinney, H.C., Filiano, J.J., Assmann, S.F., Mandell, F., Valdes-Dapena, M., Krous, H.F., O'Donnell, T., Rava, L.A. and Frost White, W.
Tritiated-naloxone binding to brainstem opioid receptors in the sudden infant death syndrome (69) 156
Kobayashi, M., see Tanaka, K. (69) 190
Kocsis, B., see Gyimesi-Pelczer, K. (69) 122
Kosaka, H., see Chen, Q.H. (69) 56
Krous, H.F., see Kinney, H.C. (69) 156
Kukuła, K. and Szulczyk, P.J.
Properties of Na^+ currents in putative submandibular and cardiac sympathetic postganglionic neurones (69) 12
Kuschinsky, W., see Maeda, M. (69) 132

Lahiri, S., see Rozanov, C. (69) 184
Lawrence, P.A., see Draper, C.E. (69) 173
Luft, F.C., see Schobel, H.P. (69) 49

Maeda, M., Duelli, R., Schröck, H. and Kuschinsky, W.
Autoradiographic determination of local cerebral blood flow and local cerebral glucose utilization during chemical stimulation of the nucleus tractus solitarii of anesthetized rats (69) 132
Malpas, S.C. and Evans, R.G.
Do different levels and patterns of sympathetic activation all provoke renal vasoconstriction? (69) 72
Mandell, F., see Kinney, H.C. (69) 156
McAllen, R.M., see Rathner, J.A. (69) 127
Messenger, J.P. and Gibbins, I.L.
Differential distribution of substance P binding sites in guinea-pig sympathetic ganglia (69) 103
Migliorini, R.H., see Brito, M.N. (69) 1
Miolan, J.-P., see Félix, B. (69) 6
Mokashi, A., see Rozanov, C. (69) 184
Morita, H., see Chen, Q.H. (69) 56
Murakami, H., see Chen, Q.H. (69) 56
Murase, S., see Tanaka, K. (69) 190

Nagai, K., see Hirano, T. (69) 198
Nakagawa, H., see Hirano, T. (69) 198
Nakayama, H., Noda, K., Hotta, H., Ohsawa, H. and Hosoya, Y.
Effects of aging on numbers, sizes and conduction velocities of myelinated and unmyelinated fibers of the pelvic nerve in rats (69) 148
Neundörfer, B., see Riedl, B. (69) 83
Niel, J.-P., see Félix, B. (69) 6
Nischik, M., see Riedl, B. (69) 83
Nishida, Y., see Chen, Q.H. (69) 56
Noda, K., see Nakayama, H. (69) 148
Nosaka, S., see Tanaka, K. (69) 190

O'Donnell, T., see Kinney, H.C. (69) 156
Ohsawa, H., see Nakayama, H. (69) 148
Oike, M., Creed, K.E., Onoue, H., Tanaka, H. and Ito, Y.
Increase in calcium in smooth muscle cells of the rabbit bladder induced by acetylcholine and ATP (69) 141
Okada, K., see Chen, Q.H. (69) 56
Onoue, H., see Oike, M. (69) 141
Oz, O., see Almog, Y. (69) 39

Pallot, D.J., see Draper, C.E. (69) 173
Paton, J.F.R., see Butcher, J.W. (69) 89
Pendleton, N.P., see Hoyle, C.H.V. (69) 31
Pumprla, J., see Howorka, K. (69) 164

Rathner, J.A. and McAllen, R.M.
The lumbar preganglionic sympathetic supply to rat tail and hindpaw (69) 127
Rava, L.A., see Kinney, H.C. (69) 156
Riedl, B., Nischik, M., Birklein, F., Neundörfer, B. and Handwerker, H.O.
Spatial extension of sudomotor axon reflex sweating in human skin (69) 83
Rozanov, C., Buerk, D.G., Chugh, D., Mokashi, A. and Lahiri, S.
Inhibition of dopamine release with simultaneous chemosensory excitation by hypercapnia with and without $[Ca^{2+}]_0$ in the cat carotid body (69) 184

Schabmann, A., see Howorka, K. (69) 164
Schmieder, R.E., see Schobel, H.P. (69) 49
Schobel, H.P., Handwerker, H.O., Schmieder, R.E., Heusser, K., Dominiak, P. and Luft, F.C.
Effects of naloxone on hemodynamic and sympathetic nerve responses to pain in normotensive vs. borderline hypertensive men (69) 49
Schröck, H., see Maeda, M. (69) 132
Seifen, E., see Hicks, K.K. (69) 21
Singh, J., see Draper, C.E. (69) 173
Smith, A.J.H., see Butcher, J.W. (69) 89
Spencer, N.J., Bywater, R.A.R., Holman, M.E. and Taylor, G.S.
Spontaneous and evoked inhibitory junction potentials in the circular muscle layer of mouse colon (69) 115
Stimers, J.R., see Hicks, K.K. (69) 21
Szulczyk, P.J., see Kukuła, K. (69) 12

Tanaka, H., see Oike, M. (69) 141
Tanaka, K., Inui, K., Kobayashi, M., Murase, S. and Nosaka, S.
Hereditarily elongated carotid sinus nerve in a rat colony (69) 190
Taylor, G.S., see Spencer, N.J. (69) 115

Valdes-Dapena, M., see Kinney, H.C. (69) 156

Zhou, M.S., see Chen, Q.H. (69) 56

ELSEVIER

Journal of the Autonomic Nervous System 69 (1998) 207–208

Journal of the
Autonomic
Nervous
System

Subject Index

Acetylcholine, (69) 83, (69) 141, (69) 173
Adrenaline, (69) 173
Adrenal medulla, (69) 198
Aging, (69) 148
Air jet stress, (69) 72
Airway dilation, (69) 64
Aortic depressor nerve, (69) 190
Apamin, (69) 115
Arcuate nucleus, (69) 156
Arterial baroreflex, (69) 190
Arterial chemoreflex, (69) 190
Arterial pressure, (69) 56
ATP, (69) 141
Atropine, (69) 21
Autonomic control, (69) 156
Autoradiography, (69) 103
Autospectrum, (69) 122
Baroreceptor reflex, (69) 56
Baroreceptors, (69) 89
Biotelemetry techniques, (69) 21
α_1-Blockade, (69) 39
Blood pressure, (69) 39, (69) 49
Bradykinin, (69) 198
Brown adipose tissue, (69) 1
Capsaicin, (69) 96
Carbohydrate-free diet, (69) 1
Cardiovascular autonomic neuropathy, (69) 164
Cardiovascular center, (69) 132
Cardiovascular control, (69) 39
Carotid body chemoreceptors, (69) 190
Carotid sinus baroreceptors, (69) 190
Catecholamine, (69) 184
Cerebral blood flow, (69) 132
Cerebral circulation, (69) 132
Cerebral glucose utilization, (69) 132
Cerebral metabolism, (69) 132
Cholinergic transmission, (69) 31
Circadian rhythm, (69) 21
Cold exposure, (69) 1
Colon, (69) 115
Conduction velocity, (69) 148
Conscious rats, (69) 21
Diabetic late complications, (69) 164
Dopamine, (69) 198
Efferent nerves, (69) 122
Electrochemical detection, (69) 184
Endogenous opioids, (69) 49
Frequency-domain analysis, (69) 164
Fura-2, (69) 141
Heart rate variability, (69) 164
Heat, (69) 96
High protein, (69) 1
5-HT receptors, (69) 64
Human skin, (69) 83
Hypertension, (69) 49
Hypoxia, (69) 72
Inhibitory junction potential, (69) 115
Inhibitory motor neuron, (69) 115
Innervation territories, (69) 83
Integrative properties, (69) 6
Intracellular Ca^{2+}, (69) 184
Intracellular calcium, (69) 141
Kinetic properties, (69) 12
Lacrimal gland, (69) 173
Lung resistance, (69) 64
Major pelvic ganglion, (69) 6
Microscopy, (69) 173
Morphology, (69) 173
Mouse, (69) 198
Myelinated fiber, (69) 148
Myoelectric complex, (69) 115
Na^+ currents, (69) 12
Nadolol, (69) 21
Neomycin, (69) 141
Neurokinin receptor, (69) 103
Neurokinin-1 receptors, (69) 89
Neuropeptides, (69) 31
Neurotensin, (69) 198
Nicardipine, (69) 141
Noise stress, (69) 72
Noradrenaline, (69) 96
Norepinephrine turnover, (69) 1
Nucleus of the solitary tract, (69) 156
Nucleus tractus solitarius, (69) 132

Pain, (69) 49, (69) 96
Peak and steady state neural discharge, (69) 184
Pelvic nerve, (69) 148
Perineurium, (69) 96
Plasma sodium concentration, (69) 56
Power density distribution, (69) 39
Power spectral analysis, (69) 164
P_2-purinoceptors, (69) 31
Preganglionic, (69) 103
Preganglionic neurons, (69) 122
Pulmonary chemoreflex, (69) 89
Pulse pressure, (69) 21
Purinergic transmission, (69) 31
Quinine, (69) 141
Rabbit bladder, (69) 141
Raphe magnus, (69) 64
Raphe obscurus, (69) 64
Raphe pallidus, (69) 64
Rat, (69) 148, (69) 173
Rats, (69) 132
Receptor autoradiography, (69) 156
Renal blood flow, (69) 72
Renal denervation, (69) 72
Renal nerve, (69) 122
Renin, (69) 72
Respiration, (69) 156
Sensory, (69) 103
Serotonin, (69) 64
SHR, (69) 39
Skin blood flow, (69) 127
Smooth muscle, (69) 141
Sodium balance, (69) 56
Spectral analysis, (69) 39
Spinal cord, (69) 127
Substance P, (69) 103
Sudden infant death, (69) 156
Sudomotor axon reflex, (69) 83
Suncus, (69) 31
Suncus murinus, (69) 31
Sweat gland, (69) 127
Sympathetic activity, (69) 49
Sympathetic discharges, (69) 72
Sympathetic ganglia, (69) 103
Sympathetic postganglionic neurones, (69) 12
Synaptic transmission, (69) 6
Time-domain analysis, (69) 164
Trachea, (69) 64
Transgenic mouse, (69) 89
Transit-time ultrasound flowmetry, (69) 72
Unmyelinated fiber, (69) 148
Urinary bladder, (69) 31
Vagus nerve, (69) 64
Vascular anomaly, (69) 190
Vasomotor, (69) 127
Ventral medulla, (69) 64
VIP, (69) 198
Water balance, (69) 56
White ramus, (69) 122
WKY, (69) 39